
ERICH JAEGER



7P / 12V SAE J560 Dose dicht

501109; 501151; 501152; 501157; 501153; 501156; 501154; 501158


7P / 12V SAE J560 Sealed Socket

501186; 501187; 501188; 501189; 501190; 501191; 501192; 501193


- (D) Einbauanleitung
- (GB) Installation instructions
- (F) Consignes de montage
- (NL) Montagehandleiding
- (DK) Montagevejledning
- (N) Monteringsinstruksjon
- (S) Installationsanvisning
- (FIN) Asennusohje
- (I) Istruzioni per il montaggio
- (E) Instrucciones de montaje
- (P) Instruções de montagem
- (GR) Οδηγίες εγκατάστασης
- (CZ) Návod k montáži
- (PL) Instrukcja montażu
- (TR) Montaj talimatı
- (H) Beépítési útmutató
- (HR) Upute o ugradnji
- (BUL) Инструкция за монтаж
- (RO) Instrucţiuni de montaj
- (RU) Инструкция по монтажу и установке
- (LT) Montavimo informacija
- (LV) Iemontēšanas pamācība
- (EST) Paigaldusjuhend
- (SLO) Navodilo za vgradnjo
- (SK) Montážny návod
- (CN) 说明书




KIT




501109; 501151
501152; 501156



501186; 501187
501188; 501189





501153; 501156
501154; 501158




501190; 501191
501192; 501193

TOOLS









© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany

1



2




1	wh
2	bu
3	rd
4	bk
5	ye
6	gn
7	bn


© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany

3


Option 1




1.



2.




3.




4


Option 2




1.



2.




3.




© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany


Option 3




1.




2.



3.



4.



© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany

6 Contact allocation 7P Primary SAE J650

Contact cavity no.	Wire colour	Function
1	wh	Ground return to towing vehicle
2	bk	Clearance, side marker and indetification lamps
3	ye	Left turn signal and hazard lamps
4	rd	Stop lamps and Antilock Breaking System (ABS) (Secondary Power)
5	gn	Right turn signal and hazard lamps
6	bn	Tail and license plate, clearance and and/or side marker lamps
7	bu	Continuous ABS primary power/auxiliary devices


7 Contact allocation 7P Auxiliary SAE J650

Contact cavity no.	Wire colour	Function
1	wh	Ground return to towing vehicle
2	bk	Cab switches auxiliary power
3	ye	ABS malfunction signal to cab
4	rd	Constatns or ignition power
5	gn	Unassigned
6	bn	Unassigned
7	bu	Unassigned


© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany

8


15 Nm (± 2Nm)



M8




9




© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany

10



11 CHECK



© Erich Jaeger, USA Inc 470 Forest Ave #22 Plymouth MI 48170
© Erich Jaeger GmbH + Co. KG, Straßheimer Str.10, D-61169 Friedberg, Germany